WEST Search History

Hide Items Restore Clear Cancel

DATE: Sunday, April 17, 2005

Hide?	<u>Set</u> Name	Query	<u>Hit</u> Count			
DB=PGPB; PLUR=YES; OP=OR						
	L53	L51 and hash with key\$1	1			
	L52	L51 and hash	1			
	L51	20010042206	1			
	L50	09852174	0			
	L49	147 and hash	1			
	L48	hash	8828			
	L47	concatenat\$4 with canonical with key\$1	1			
	$DB = PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; \ PLUR = YES; \ OP = OR$					
	L46	6128737.pn. and hash	0			
	L45	(dynamic\$4 or random\$6) with select\$4 with document\$1 and (MAC or "message authentication code")	22			
	L44	(dynamic\$4 or random\$3) with select\$4 with document\$1 and (MAC or "message authentication code")	22			
	L43	(dynamic\$4 or random\$3) with select\$4 with document\$1	642			
	L42	dynamic\$4 or random\$3 with select\$4 with document\$1	641236			
	L41	dynamic\$4 with (apply\$3 or insert\$3) with (MAC or "message authentication code")	6			
	L40	20000501	582			
	L39	20000501	5			
	L38	random\$4 with (mac or "message adj authentication code") with (apply\$4 or insert\$4)	12			
	L37	random\$4 with (mac or "message adj authentication code")	832			
	L36	(random\$4 or dynamic\$4) with (MAC or "message authentication code")	1629			
	L35	(random\$4 or dynamic\$4) with (apply\$3 or insert\$3) with (MAC or "message authentication code")	20			
	L34	20000501	3			
	L33	(random\$4 or dynamic\$4) with apply\$3 with (MAC or "message authentication code")	10			
	L32	20000501	12			
	L31	(message adj authentication adj code or MAC) with hash with (message or document or block\$1) with key\$1 with random\$4	40			
DB=EPAB; $PLUR=YES$; $OP=OR$						
		(message adj authentication adj code or MAC) with hash with (message or				

	L30	document or block\$1) with key\$1	0			
	L29	(message adj authentication adj code or MAC) with (comput\$4 or generat\$4) with hash with (message or document or block\$1) with key\$1	0			
	L28	(message adj authentication adj code or MAC) with (comput\$4 or generat\$4) with encapsulat\$4 with (message or document or block\$1) with key\$1	0			
	L27	(message adj authentication adj code or MAC) with (comput\$4 or generat\$4) with encapsulat\$4 near4 (message or document) with key\$1	0			
	L26	(message adj authentication adj code or MAC) with (comput\$4 or generat\$4) with (document or message\$1 or block\$1) with key\$1	8			
	L25	(message adj authentication adj code or MAC) with (comput\$4 or generat\$4) with document with key\$1	0			
	L24	(message adj authentication adj code or MAC) with (comput\$4 or generat\$4) with concatenat\$4 with key\$1	0			
	L23	(message adj authentication adj code or MAC) same (comput\$4 or generat\$4) same (message or document or text or data or digital) same concatenat\$4 same key\$1	0			
	L22	(message adj authentication adj code or MAC) same (comput\$4 or generat\$4) same(message or document or text or data or digital) same concatenat\$4 same key\$1	0			
	L21	(message adj authentication adj code or MAC) with (comput\$4 or generat\$4) with(message or document or text or data or digital) with concatenat\$4 with key\$1	0			
	L20	(message adj authentication adj code or MAC) near10 (comput\$4 or generat\$4) near10 (message or document or text or data or digital) with concatenat\$4 with key\$1	0			
	L19	(message adj authentication adj code or MAC) near10 (comput\$4 or generat\$4) near10 (message or document or text or data or digital) with (concatenat\$4 or canonical or compress\$4 or simplify\$4)	2			
	L18	AU-721497-B.did.	0			
	DB=0	USPT; PLUR=YES; OP=OR				
	L17	US-6396928-B1.did.	1			
	DB=I	EPAB; PLUR=YES; OP=OR				
	L16	AU-9742761-A.did.	0			
DB=PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR						
	L15	20000501	20			
	L14	2000501	0			
	L13	(random\$4 or dynamic\$4) with (message adj authentication adj code or MAC) with (insert\$5 or select\$4) with (document\$1 or digital or message or text or data or block\$1)	46			
	L12	(random\$4 or dynamic\$4) with (message adj authentication adj code or MAC) with (insert\$5 or select\$4)	146			
	L11	(random\$4 or dynamic\$4) with (message adj authentication adj code or MAC) with insert\$5	10			
	L10	20000501	14			

L9	(random\$4 or dynamic\$4) with (insert\$4 or place\$3 or select\$4) with (document or message\$1 or data or text or block\$1) near10 MAC	34
L8	(random\$4 or dynamic\$4) with (insert\$4 or place\$3 or select\$4) with document near10 MAC	0
L7	20000501	17
L6	MAC with (canoni\$5 or black adj space) with (document\$1 or text or data or message\$1)	19
DB = 0	USPT; PLUR=YES; OP=OR	
L5	MAC with (canoni\$5 or black adj space) with (document\$1 or text or data or message\$1)	16
L4	20000501	7
L3	canonical with concatenat\$4	9
L2	L1 and (canonical or concatenat\$4 or blank or space)	1
Ll	6128737.pn.	1

END OF SEARCH HISTORY